



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/687,327	10/16/2003	RameshBabu Boga	KCX-842 (19559)	KCX-842 (19559) 8506	
22827 7:	590 11/21/2005	EXAMINER		INER	
DORITY & MANNING, P.A. POST OFFICE BOX 1449			PORTNER, VIR	PORTNER, VIRGINIA ALLEN	
GREENVILLE, SC 29602-1449			ART UNIT	PAPER NUMBER	
	•		1645		

DATE MAILED: 11/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/687,327	BOGA ET AL.				
Office Action Summary	Examiner	Art Unit				
	Ginny Portner	1645				
- The MAILING DATE of this communication appears on the cover sheet with the correspondence address - Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 6/2/03	3.					
	action is non-final.					
·=	, -					
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>1-26</u> is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6) Claim(s) is/are rejected.						
7) Claim(s) is/are objected to.						
•	8)⊠ Claim(s) <u>1-26</u> are subject to restriction and/or election requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attach manuta)						
Attachment(s)						
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) 	4) Interview Summary Paper No(s)/Mail Da					
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) 5) Notice of Informal Patent Application (PTO-152)						
Paper No(s)/Mail Date 6) Other:						

Application/Control Number: 10/687,327 Page 2

Art Unit: 1645

DETAILED ACTION

Claims 1-26 are pending.

Election/Restrictions

1. Restriction to one of the following inventions is required under 35 U.S.C. 121:

- Claims 1-24, drawn to a breath testing device for ammonia, classified in class
 436, subclass 113.
- II. Claims 25-26, drawn to methods of testing for Helicobacter pylori based upon the generation of ammonia due to the expression of urease by the pathogen, classified in class 435, subclass 12.
- 2. Inventions I and II are related as product and process of use. The inventions can be shown to be distinct if either or both of the following can be shown: (1) the process for using the product as claimed can be practiced with another materially different product or (2) the product as claimed can be used in a materially different process of using that product (MPEP § 806.05(h)). In the instant case, the product as claimed can be used in a materially different process of using that product, wherein the method of Group II combines a device containing any visual indicating agent that is sensitive to ammonia, and is not required to comprise the ammonia detection agent of Group I, and is combined with patient breath, wherein the agent of group I, may be combined with breath, liquid waste, air, water or blood or any sample that could potentially comprise ammonia for its detection and is not limited to being combined with patient breath.

Application/Control Number: 10/687,327 Page 3

Art Unit: 1645

3. Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.

- 4. Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).
- 5. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ginny Portner whose telephone number is (571) 272-0862. The examiner can normally be reached on M-F, alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynette Smith can be reached on (571) 272-0864. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/687,327 Page 4

Art Unit: 1645

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Vgp November 15, 2005

> LYNETTE R. F. SMITH SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 1600